



2023-24

Edition

Volume 02



ABOUT Us

Acrylic and PVC Laminates are two of the most popular furnishing materials for kitchens and wardrobes alike. We've put together the pros and cons of these materials so you can pick the one that works for you.



SGS CERTIFICATE

SGS

TEST REPORT

No. : GZIN210604046PS
Date : Aug 16, 2021
Page : 1 of 4

CUSTOMER NAME: Mammy Traders
ADDRESS: 78619, 1ST FLOOR, MOTILAL NAGAR NO.1, OPP. SIDDHARTH HOSPITAL, GOREGAON (W), MUMBAI 400104

Sample Name: ACRYLIC SHEET
Product Specification: 1.5*1200*2400MM
Product or Lot No.: K-002
Other Information: Maxx Mouldings

Above information and sample(s) was/were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

Date of Receipt: Aug 08, 2021
Testing Start Date: Aug 08, 2021
Testing End Date: Aug 16, 2021
Test result(s): For further details, please refer to the following page(s)
(Unless otherwise stated the results shown in the test report refer only to the sample(s) tested)

Signed for:
SGS-CSTC Standards Technical
Services Co., Ltd. GZ Branch Testing
Center

Delivery for:
Authorized signatory



SGS

TEST REPORT

No. : GZIN210604046PS
Date : Aug 16, 2021
Page : 3 of 4

Test Item: Pencil Hardness
Sample Description: Plastic panel
Test Method: ISO 15184:2009
Lab Environmental Condition: (23±2)°C, (50±5)RH
Test Condition:
Test Pencil: Mitsubishi® UNI
Load: (7.35±0.15) N

Test Result:

Test Item	Result (See note)	Client's requirement	Conclusion
Pencil Hardness	No Scratch with 6H pencil	No Scratch with 6H pencil	Pass

Note:
1. In Mitsubishi® Uni test pencil, 9H is the hardest and 2B is the softest.
6B-5B-4B-3B-2B-B-HB-F-H-2H-3H-4H-5H-6H-7H-8H-9H
softer-----harder

2. Type of defect: Scratch
3. The protected film was wiped off before test.

Test Photo:

Using test After test



SGS

TEST REPORT


No. : GZIN210604046PS
Date : Aug 16, 2021
Page : 2 of 4

Summary of Results:

No.	Test Item	Test Method	Result	Conclusion
1	Pencil Hardness	ISO 15184:2009	No Scratch with 6H pencil	Pass

Note:
Pass: Meet the requirements;
Fail: Does not meet the requirements;
/: Not Apply to the judgment.

Original Sample Photo:






SGS

TEST REPORT

No. : GZIN210604046PS
Date : Aug 16, 2021
Page : 4 of 4



After Seal-Local Part

Equipment Information:

Equipment	Model	Equipment No.	Calibration date	Next Calibration date
Pencil Hardness Tester	REVS	GZ398-M3-E005-07	2021-02-25	2022-02-25

End of report



RECOMMENDED ADHESIVE



1.5 mm Wooden Collection



MX-9976 Wood 1.5mm



MX-9971 Wood 1.5mm



MX-9972 Wood 1.5mm

There can be colour variation in material from different batches. It is advised to use the same batch material to avoid colour variation.
The actual colour of the laminate sheet may vary from this catalogue.

1.5 mm Marble Collection



MX-9982 Marble 1.5mm



MX-9984 Marble 1.5mm

There can be colour variation in material from different batches. It is advised to use the same batch material to avoid colour variation.
The actual colour of the laminate sheet may vary from this catalogue.

1.5 mm Marble Collection



MX-9985 Marble 1.5mm



MX-9986 Marble 1.5mm

There can be colour variation in material from different batches. It is advised to use the same batch material to avoid colour variation.
The actual colour of the laminate sheet may vary from this catalogue.

1.5 mm Marble Collection



MX-9987 Marble 1.5mm



MX-9988 Marble 1.5mm

There can be colour variation in material from different batches. It is advised to use the same batch material to avoid colour variation.
The actual colour of the laminate sheet may vary from this catalogue.

1.5 mm Marble Collection



MX-9981 Marble 1.5mm



MX-9991 Marble 1.5mm

There can be colour variation in material from different batches. It is advised to use the same batch material to avoid colour variation.
The actual colour of the laminate sheet may vary from this catalogue.

1.5 mm Marble Collection



MX-9992 Marble 1.5mm



MX-9993 Marble 1.5mm

There can be colour variation in material from different batches. It is advised to use the same batch material to avoid colour variation.
The actual colour of the laminate sheet may vary from this catalogue.

1.5 mm Marble Collection



MX-9994 Marble 1.5mm

There can be colour variation in material from different batches. It is advised to use the same batch material to avoid colour variation.
The actual colour of the laminate sheet may vary from this catalogue.



Our Products

Maxx Acrylic
1.5mm

Maxx Charcoal Panels
8' x 2'

Maxx Acrylic
2.0mm

Maxx Rafters
5inch x 8ft.

**Maxx Decorative
Mouldings**

Maxx Rafters
12inch x 8ft.

Maxx PVC Iner

Maxx Adhesive

www.maxxmouldings.com